

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Talon[®]

Ant Killer Gel



ACTIVE CONSTITUENT: 0.1 g/kg THIAMETHOXAM

*Kills the queen and destroys ants in the nest
Clear, non-staining, odourless gel
For indoor and outdoor use
Low toxicity to user*

4, 5, 6, 7, 8, 9, 10, 11 or 12 g NET

Contains one 4, 5, 6, 7, 8, 9, 10, 11 or 12 g syringe
OR

Contains two 4, 5 or 6 g syringes, which it is illegal to sell separately

Do not destroy blister pack while product remains.
Retain packaging for instructions.

APVMA Approval No.: 65959/52384

IF IT'S **SELLEYS** IT WORKS[®]

HOW TO USE

1. Locate the nest entrance, ant trails or locations where ants are most active.
2. Remove cap from the end of the syringe and touch the nozzle to the surface. Lightly depress the plunger to squeeze out approximately 5 mm length of gel for each spot.
3. Apply a minimum of 1 to 3 spots per m² around the nest entrance, along ant trails or other locations where ants are most active.
4. Replace cap after use.
5. Re-apply when all gel spots are consumed and ant activity continues.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED

HOW TO PREPARE

Talon[®] Ant Killer Gel is a ready to use bait and should not be diluted or mixed with any other product or solvent. Ants feeding on bait return to the nest and transfer bait to other workers, the queen and young, which may result in the elimination of the nest.

Remove other sources of food. Place bait where it won't be disturbed or contaminated by cleaning or work activities. For outside use, place spots in protected cracks and crevices. To achieve the best result, additional bait placements should be provided if initial bait placements are consumed within a day or two and if ant activity remains high at the bait after 2 days. Talon[®] Ant Killer Gel will remain attractive to ants for at least 14 days. Exposure to direct sunlight, extreme heat or cold and water may reduce the length of bait effectiveness. Baits remaining for more than 14 days may need replacing.

CAUTION

DO NOT place in exposed areas accessible to children, pets and other animals
DO NOT allow to contact food, pet food or their water

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126.

SELLEYS

Distributed in Australia by: Selleys
1 Gow Street, Padstow, NSW 2211 Australia.
Selleys Customer Service: 1300 555 205

APVMA Approval No: 65959/52384

[®]TALON is a registered trademark of a Syngenta Group Company

[®]SELLEYS is a registered trademark of Selleys

Batch Number	
Date of Manufacture	



BARCODE

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Talon[®] Ant Killer Gel

ACTIVE CONSTITUENT: 0.1 g/kg THIAMETHOXAM

Not to be sold separately.

Before use read all directions on the outer pack.

4, 5, 6, 7, 8, 9, 10, 11 or 12 g NET

APVMA Approval No. 65959/52384

IF IT'S **SELLEYS** IT WORKS[®]